ELSEVIER

Mechanisms of Development 91 (2000) 475–477

Volume contents

Volume 91 (2000)

Volume 91 Nos. 1,2

Issue contents 1

Review article

I. Bach (Germany)
The LIM domain: regulation by association 5

Original articles

K.M. Correia, R.A. Conlon (USA)
Surface ectoderm is necessary for the morphogenesis of somites 19

J.F. de Celis, R. Barrio (UK, Germany)
Function of the *spalt/spalt-related* gene complex in positioning the veins in the *Drosophila* wing 31

T. Katahira, T. Sato, S. Sugiyama, T. Okafuji, I. Araki, J.-i. Funahashi, H. Nakamura (Japan)
Interaction between *Otx2* and *Gbx2* defines the organizing center for the optic tectum 43

E. Pogge v. Strandmann, S. Senkel, G.U. Ryffel (Germany)
Ectopic pigmentation in Xenopus in response to DCoH/PCD, the cofactor of HNF1 transcription factor/pterin-4α-carbinolamine dehydratase 53

R. Anderson, T.K. Copeland, H. Schöler, J. Heasman, C. Wylie (USA, Germany)
The onset of germ cell migration in the mouse embryo 61

C. Sharpe, K. Goldstone (UK)
The control of *Xenopus* embryonic primary neurogenesis is mediated by retinoid signalling in the neurectoderm 69

J. Nakatani, K. Mizuseki, H. Tsuda, S. Nakanishi, Y. Sasai (Japan)
Xenopus Xenf: an early endodermal nuclear factor that is regulated in a pathway distinct from Sox17 and Mix-related gene pathways 81

M. Stanke, M. Geissen, R. Götz, U. Ernsberger, H. Rohrer (Germany)
The early expression of VAChT and VIP in mouse sympathetic ganglia is not induced by cytokines acting through LIFRβ or CNTFRα 91

L. Wojnowski, L.F. Stancato, A.C. Larner, U.R. Rapp, A. Zimmer (USA, Germany)
Overlapping and specific functions of *Braf* and *Craf-1* proto-oncogenes during mouse embryogenesis 97

G. Hauptmann, T. Gerster (Switzerland)
Regulatory gene expression patterns reveal transverse and longitudinal subdivisions of the embryonic zebrafish forebrain 105

E. de la Calle-Mustienes, J.L. Gómez-Skarmeta (Chile)
XTIF2, a *Xenopus* homologue of the human transcription intermediary factor, is required for a nuclear receptor pathway that also interacts with CBP to suppress *Brachyury* and *XMyoD* 119

T.S. Yamamoto, C. Takagi, N. Ueno (Japan)
Requirement of Xmsx-1 in the BMP-triggered ventralization of *Xenopus* embryos 131

M.R. Bendel-Stenzel, M. Gomperts, R. Anderson, J. Heasman, C. Wylie (USA, UK)
The role of cadherins during primordial germ cell migration and early gonad formation in the mouse 143

E. Ponte, F. Rivero, M. Fechheimer, A. Noegel, S. Bozzaro (Italy, Germany, USA)
Severe developmental defects in *Dictyostelium* null mutants for actin-binding proteins 153

E. Zelzer, B.-Z. Shilo (Israel)
Interaction between the bHLH-PAS protein Trachealess and the POU-domain protein Drifter, specifies tracheal cell fates 163

R.H. Holme, S.J. Thomson, D.R. Davidson (UK)
Ectopic expression of *Msx2* in chick retinal pigmented epithelium cultures suggests a role in patterning the optic vesicle 175

D. Schmucker, G. Vorbrüggen, P. Yeghiayan, H.Q. Fan, H. Jäckle, U. Gaul (USA, Germany)
The *Drosophila* gene *abstrakt*, required for visual system development, encodes a putative RNA helicase of the DEAD box protein family 189

S. Granderath, I. Bunse, C. Klämbt (Germany)
gcm and pointed synergistically control glial transcription of the *Drosophila* gene *loco* 197

M. Seecoomar, S. Agarwal, K. Vani, G. Yang, J. Mohler (USA)
knot is required for the hypopharyngeal lobe and its derivatives in the *Drosophila* embryo 209

R.A.H. White, S.E. Aspland, J.J. Brookman, L. Clayton, G. Sproat (UK)
The design and analysis of a homeotic response element 217

M.J. Beanan, J.A. Feledy, T.D. Sargent (USA)
Regulation of early expression of Dlx3, a *Xenopus* anti-neural factor, by β-catenin signaling 227

C. Sung, S. Robinow (USA)
Characterization of the regulatory elements controlling neuronal expression of the A-isoform of the ecdysone receptor gene of *Drosophila melanogaster* 237

S.J. Arnold, J. Stappert, A. Bauer, A. Kispert, B.G. Herrmann, R. Kemler (Germany)
Brachyury is a target gene of the Wnt/β-catenin signaling pathway 249

T. Schlange, B. Andrée, H.-H. Arnold, T. Brand (Germany)
BMP2 is required for early heart development during a distinct time period 259

M. Boube, M. Llimargas, J. Casanova (Spain)
Cross-regulatory interactions among tracheal genes support a co-operative model for the induction of tracheal fates in the *Drosophila* embryo 271

T.J. Jaw, L.-R. You, P.S. Knoepfler, L.-C. Yao, C.-Y. Pai, C.-Y. Tang, L.-P. Chang, J. Berthelsen, F. Blasi, M.P. Kamps, Y.H. Sun (Taiwan, USA, Italy)
Direct interaction of two homeoproteins, Homothorax and Extradenticle, is essential for EXD nuclear localization and function 279

T. Shimizu, Y. Yamanaka, S.-L. Ryu, H. Hashimoto, T. Yabe, T. Hirata, Y.-k. Bae, M. Hibi, T. Hirano (Japan)
Cooperative roles of Bozozok/Dharma and Nodal-related proteins in the formation of the dorsal organizer in zebrafish 293

Short communication
B.A. Howard, B.A. Gusterson (UK)
Mammary gland patterning in the AXB/BXA recombinant inbred strains of mouse 305

Gene expression patterns
M. Molenaar, E. Brian, J. Roose, H. Clevers, O. Destrée (The Netherlands)
Differential expression of the Groucho-related genes 4 and 5 during early development of *Xenopus laevis* 311

D.R. Cohen, C.W. Cheng, S.H. Cheng, C.-c. Hui (Canada, Hong Kong)
Expression of two novel mouse *Iroquois* homeobox genes during neurogenesis 317

B. Moniot, P. Berta, G. Scherer, P. Südbeck, F. Poulat (France, Germany)
Male specific expression suggests role of *DMRT1* in human sex determination 323

X. Zhou, T. Hollemann, T. Pieler, P. Gruss (Germany)
Cloning and expression of *xSix3*, the *Xenopus* homologue of murine *Six3* 327

V. Vlaeminck-Guillem, S. Carrere, F. Dewitte, D. Stehelin, X. Desbiens, M. Duterque-Coquillaud (France)
The *Ets* family member *Erg* gene is expressed in mesodermal tissues and neural crests at fundamental steps during mouse embryogenesis 331

Y. Harada, N. Okai, S. Taguchi, K. Tagawa, T. Humphreys, N. Satoh (Japan, USA)
Developmental expression of the hemichordate *otx* ortholog 337

D. Johnson, S. Iseki, A.O.M. Wilkie, G.M. Morriss-Kay (UK, Japan)
Expression patterns of *Twist* and *Fgfr1*, *-2* and *-3* in the developing mouse coronal suture suggest a key role for *Twist* in suture initiation and biogenesis 341

S.-C. Choi, J. Kim, J.-K. Han (South Korea)
Identification and developmental expression of *par-6* gene in *Xenopus laevis* 347

C.-W.J. Chen, C.-M. Chuong (USA)
Dynamic expression of *lunatic fringe* during feather morphogenesis: a switch from medial–lateral to anterior–posterior asymmetry 351

A. Crocoll, M. Blum, A.C.B. Cato (Germany)
Isoform-specific expression of BAG-1 in mouse development 355

D. Chambers, I. Mason (UK)
Expression of *sprouty2* during early development of the chick embryo is coincident with known sites of FGF signalling 361

J.F-X. Ainscough, L. Dandolo, M. Azim Surani (UK, France)
Appropriate expression of the mouse *H19* gene utilises three or more distinct enhancer regions spread over more than 130 kb 365

C.S. Newman, J. Reecy, M.W. Grow, K. Ni, T. Boettger, M. Kessel, R.J. Schwartz, P.A. Krieg (USA, Germany)
Transient cardiac expression of the *tinman*-family homeobox gene, *XNkx2-10* 369

Y. Kawakami, N. Wada, S.-i. Nishimatsu, C. Komaguchi, S. Noji, T. Nohno (Japan)
Identification of chick *frizzled-10* expressed in the developing limb and the central nervous system 375

M.-L. Mucchielli, T.A. Mitsiadis (France)
Correlation of asymmetric *Notch2* expression and mouse incisor rotation 379

M. Kanai-Azuma, J.S. Mattick, K. Kaibuchi, S.A. Wood (Australia, Japan)
Co-localization of FAM and AF-6, the mammalian homologues of *Drosophila faf* and *canoe*, in mouse eye development 383

J.-N. Tsai, C.-H. Lee, H. Jeng, W.-K. Chi, W.-C. Chang (Taiwan)
Differential expression of glycogen synthase kinase 3 genes during zebrafish embryogenesis 387

N. Khare, N. Fascetti, S. DaRocha, R. Chiquet-Ehrismann, S. Baumgartner (Sweden, Switzerland)
Expression patterns of two new members of the Semaphorin family in *Drosophila* suggest early functions during embryogenesis 393

L. Pouyet, T.A. Mitsiadis (France)
Dynamic *Lunatic fringe* expression is correlated with boundaries formation in developing mouse teeth 399

N.A. Hanley, D.M. Hagan, M. Clement-Jones, S.G. Ball, T. Strachan, L. Salas-Cortés, K. McElreavey, S. Lindsay, S. Robson, P. Bullen, H. Ostrer, D.I. Wilson (UK, France, USA)
SRY, *SOX9*, and *DAX1* expression patterns during human sex determination and gonadal development 403

A. Liu, A. Majumdar, H.E. Schauerte, P. Haffter, I.A. Drummond (USA, Germany)
Zebrafish wnt4b expression in the floor plate is altered in sonic hedgehog and gli-2 mutants 409

E. Martí (Spain)
Expression of chick BMP-1/Tolloid during patterning of the neural tube and somites 415

C. Chai, W.-K. Chan (Singapore)
Developmental expression of a novel Ftz-F1 homologue, *ff1b* (NR5A4), in the zebrafish *Danio rerio* 421

R. Sivasankaran, M. Calleja, G. Morata, K. Basler (Switzerland, Spain)
The Wingless target gene *Dfz3* encodes a new member of the Drosophila Frizzled family 427

Y. Takabatake, T. Takabatake, K. Takeshima (Japan)
Conserved and divergent expression of *T-box* genes *Tbx2-Tbx5* in *Xenopus* 433

S.-I. Yoshikawa, S.-i. Aota, Y. Shirayoshi, K. Okazaki (Japan)
The ActR-I activin receptor protein is expressed in notochord, lens placode and pituitary primordium cells in the mouse embryo 439

X. Caubit, N. Coré, A. Boned, S. Kerridge, M. Djabali, L. Fasano (France)
Vertebrate orthologues of the *Drosophila* region-specific patterning gene *teashirt* 445

Erratum 449

Author Index 455

Subject Index 459

Volume Contents 475

Contents continued 479